

MULTI MONITOR 220



**POWERED BLUETOOTH® STEREO
LOUDSPEAKER SET** with phono input

Magnat®

 **Bluetooth®**

Qualcomm® aptX™



MULTI MONITOR 220

POWERED BLUETOOTH® STEREO LOUDSPEAKER SET WITH PHONO INPUT



High-quality phono preamplifier for direct connection of a record player with MM magnet system



Bluetooth® input with the high-end audio standard Qualcomm® aptX™ grant music transmission in CD quality



Numerous connection options for flexible and versatile use for smartphone via Bluetooth®, record player, TV, etc.

Integrated high-performance amplifier module, no additional amplifier is required

Powerful class D amplifier module with 2 x 40 watts RMS power



Connections:

- Analogue stereo input (PHONO/LINE)
- 3.5 mm analogue stereo input
- Optical and coaxial digital input
- Subwoofer output

Magnat®

MULTI MONITOR 220

POWERED BLUETOOTH® STEREO LOUDSPEAKER SET WITH PHONO INPUT

DRIVERS

- 25 mm fmax tweeter with soundguide for optimised dispersion properties and powerful ferrite drive for excellent dynamics
- FE-dynamics woofer midrange with ceramic-aluminium membrane and low-distortion magnet system
- Solid metal basket with generous ventilation openings

CABINET

- Very solid low-resonance construction made of E1 MDF panels
- Elegant design with matte painted front baffle
- Detachable front cover with acoustic cloth and invisible magnet fixing
- Flow-optimised airflex tube with rounded opening
- Resonance-damping rubber feet for a safe grip

AMPLIFIER & CONNECTIONS

- Analogue stereo input (Cinch R/L) with switchable phono preamplifier for direct connection of a record player with magnet system (MM)
- Additional 3.5 mm analogue stereo input for connecting portable audio devices
- Optical and coaxial digital input for direct connection of digital audio devices (e. g. TV)
- Sampling rates of all digital inputs up to 24Bit/192kHz
- Subwoofer output for connecting an external active subwoofer
- LED status indicator at the speaker front
- Control for volume and input selection at the rear panel of the right loudspeaker
- Complete control is ensured via the supplied remote control (incl. battery)
- Low standby power consumption (<0.5 watts) with auto standby function

CROSSOVER

- Amplitude- and phase-optimised crossover with high-quality components
- High-quality terminal with solid gold-plated and capsulated screw connectors

	MULTI MONITOR 220
Principle	Powered stereo bookshelf speaker 2-way bass reflex, active
Equipment	5" woofer- midrange 1" dome-tweeter
Power Handling (RMS/Max)	active
Power Output (RMS/Max)	2 x 40 / 2 x 80 W
Impedance	active
Frequency Response	35 – 40,000 Hz
Crossover Frequencies	3,200 Hz
Mains voltage	100 – 240 V
Cabinet surface	Black satin / Black decor
Dimensions (WxHxD)	178 x 298 x 235 mm
Weight	Active speaker: 5.0 kg Passive speaker: 4.4 kg
Art.No.	172 600
EAN	40 18843 72600 7

"The Bluetooth® " word mark and logos are registered trademarks owned by Bluetooth® SIG, Inc. and any use of such marks by Magnat Audio-Produkte GmbH is under license. Other trademarks and trade names are those of their respective owners."

Qualcomm is a trademark of Qualcomm Incorporated, registered in the United States and other countries, used with permission. aptX is a trademark of Qualcomm Technologies International, Ltd., registered in the United States and other countries, used with permission.

Magnat®

